

Brake Lining Application Guide



Marathon


BRAKE SYSTEMS

Brake Lining Ap

HS20 HEATSTAR

20,000 lb

Friction Code: FF
Density: 2.21
Edge Color:
Blue



FS20 FLEETSTAR

20,000 lb

Friction Code: FF
Density: 2.22
Edge Color:
Light Blue



MV20

20,000 lb

Friction Code: FF
Density: 2.06
Edge Color:
None



GL20


20,000 lb

Friction Code: FF
Density: 2.04
Edge Color:
Lime Green



Severe
Duty Medium
Duty Standard
Duty


Tandem Axle Tractor Trailer



Best
Better
Good

HS	FLOE	HS20
—	FS23	FS20
—	GL23	GL20

Double Trailer




HS	FLOE	HS20
—	FS23	FS20
—	GL23	GL20

Van Trailer




HS	FLOE	HS20
—	FS23	FS20
—	GL23	GL20

Single Axle Tractor Trailer



HS	FLOE	HS20
—	FS23	FS20
—	GL23	GL20

Container Chassis




HS	FLOE	HS20
—	FS23	FS20
—	GL23	GL20

Livestock Trailer



HS	FLOE	HS20
—	FS23	FS20
—	GL23	GL20

Car Trailer











HS	FLOE	HS20
—	FS23	FS20
—	GL23	GL20

Marathon

MarathonBrake.com

BRAKE SYSTEMS

Application Guide

		Severe Duty	Medium Duty	Standard Duty
Flatbed Trailer				
	Best Better Good	HS — —	FLOE FS23 GL23	HS20 FS20 GL20
Dry Bulk				
		HS — —	FLOE FS23 GL23	HS20 FS20 GL20
Straight Truck				
		HS — —	FLOE FS23 GL23	HS20 FS20 GL20
Single Axle Dump Truck				
		KVT HS —	HS FLOE —	— — —
Tandem Axle Dump Truck				
		KVT HS —	HS FLOE —	— — —
Tri Axle Dump Trailer				
		KVT HS —	HS FLOE —	— — —
Tanker				
		KVT — —	HS FLOE —	HS20 FS20 —
School Bus				
		HS FLOE —	HS — —	HS20 — —



23,000 lb

Friction Code: FF
Density: 2.28
Edge Color: Red

*First Line
Original Equipment*

FLOE
23,000 lb

Friction Code: FF
Density: 2.25
Edge Color:
Brown




23,000 lb

Friction Code: FF
Density: 2.22
Edge Color: Orange


MV23
23,000 lb

Friction Code: GF
Density: 2.06
Edge Color: None



GL23
23,000 lb


Friction Code: FF
Density: 2.04
Edge Color: Mint Green



Brake Lining Application Guide *(cont.)*

KVT 25,000 lb

Friction Code: FF
Density: 2.13
Edge Color:
Purple



MBC *Metallic Brass Combo* 23,000 lb

Friction Code: FF
Density: 2.89/2.28
Edge Color:
Red/Stripe



MBS *Metallic Brass Single* 23,000 lb

Friction Code: FF
Density: 2.89
Edge Color: Stripe










TS *Traction Stopper* 25,000 lb

Friction Code: GG
Density: 2.17
Edge Color: Stripe



Severe
Duty Medium
Duty Standard
Duty

	Severe Duty	Medium Duty	Standard Duty
Tandem Axle Mixer			
	Best Better Good	KVT HS	HS FLOE
	—	—	—
Logging Trailer			
	KVT/TS —	HS FLOE	HS20 —
	—	—	—
Single Axle Refuse Truck			
	KVT MBC	HS FLOE	— —
	—	—	—
Tandem Axle Refuse			
	KVT MBC	HS FLOE	— —
	—	—	—
Single Axle Firetruck			
	KVT —	HS FLOE	— —
	—	—	—
Tandem Axle Firetruck			
	KVT —	HS FLOE	— —
	—	—	—
Transit/Coach Bus			
	KVT —	HS FLOE	— —
	—	—	—

Marathon



BRAKE SYSTEMS

125 Old Mill Road • Cartersville, GA 30120

Call 800.223.5201 or visit
MarathonBrake.com

ISO 14001 CERTIFIED

ISO 9001 CERTIFIED