



#### Dependablé. Tough. Proven.


The other member of our flagship Heat Star family is HS20, a premium, OE approved, long life friction material that will lower your cost per mile and reduce overall brake maintenance costs. HS20 is a versatile and high performance lining ideal for a variety of over-the-road hauling applications. This proven formulation easily meets Federal regulations for brake effectiveness, fade and recovery in accordance with FMVSS 121 test procedure and is rated for 20,000 lb axle loads. In addition, HS20 meets NHTSA requirements for reduced stopping distance (RSD).

Heat Star linings feature the Hi-Density Marathon formulation (detailed at right) that will improve your bottom line through better performance and fewer maintenance headaches.

## **HEAT** HS20 Delivers


- The longest service life of any brake lining in its class
- Hi-Density formulation for excellent heat dissipation
- Dependable stopping performance
- Excellent brake fade and recovery characteristics
- Extremely drum friendly
- Meets NHTSA requirements for RSD reduced stopping distance

#### **FMVSS 121 Test Results**



# Brake Power 120 110 100 90 (gd) 77 70 100 100 1 2 3 4 5 6 7 8 9 10 Snub Number Fade

#### Retardation



# Testing conducted in accordance with FMVSS 121 criteria @ 20,000 lb axle load: 16 1/2 x 7 inch S-cam air brake; type 30 air chamber and 5.5 inch slack adjuster; and a 19.6 inch tire rolling radius. Shaded area indicates non-compliance.

RSD
APPROVED PER RPOSSC

ISO 9001:2008
ISO 14001:200



### **Hi-Density Friction**

One of the most significant design characteristics of any heavy duty brake lining is its density. When higher quality and heavier raw materials are used in a lining's formulation, it creates a higher mass in the block or stated another way, higher density. Truck brakes are designed to convert the energy of a moving vehicle into heat energy. A higher density increases the lining's ability to efficiently handle heat, and is the most critical component in a friction material's fade, recovery and wear.

- Higher density friction materials have the ability to hold more heat energy and therefore more efficiently dissipate the heat
- Higher density friction materials have stronger structural integrity, making them less likely to crack in service, while riveting or due to rust jacking
- Higher density linings exhibit significantly better wear characteristics, especially at higher temperatures
- Higher density friction materials are more resistant to brake fade and water fade



# The Marathon Advantage... Feel the Difference





125 Old Mill Road • Cartersville, GA 30120

Call 800.223.5201 or visit

MarathonBrake.com